



VACOLUX®
LIGHTING

VL-1 LED DOWN LIGHT

SNI



VL - 1023



VL - 1024



VL - 1002



Enviromental Protection

Energy Saving

Simple installation

Item Number	Power	LM	CCT	Voltage	A	B	C
VL - 1023	5W	400-500	3000K 4000K 6500K	AC220V	60	60	21
VL - 1024	5W	450-500	3000K 4000K 6500K	AC220V	60	60	23
VL - 1002	3W	270-300	3000K 4000K 6500K	AC220V	60	60	10

Material



Body : *Die - casting aluminum*



VL - 1025



VL - 1026



Enviromental Protection

Energy Saving

Simple installation

Item Number	Power	LM	CCT	Voltage	A	B	C
VL - 1025	5W	400-500	3000K 4000K 6500K	AC220V	60	60	10
VL - 1026	5W	450-500	3000K 4000K 6500K	AC220V	60	60	10


Material

Body : *Aluminum*

Powered by : *Bridgelux*



VL - 1102



VL - 1102



Environmental Protection

Energy Saving

Simple installation

Item Number	Power	LM	CCT	Voltage	Size (mm)	CRI
VL - 1102	18W	3300-3600	10000K	AC220V	Φ140×H82	90
VL - 1102	2×18W	3300-3600	10000K	AC220V	Φ160×H110	90

Material

Body : *Aluminum*

Powered by : *Bridgelux*



Product Dimension



VL - 1027A



VL - 1027B



Color :



White



Black

No Flicker

High Color Rendering Index

Anti-Glare

Item Number	Power	LM	CCT	Voltage	Size (mm)	Beam Angle
VL - 1027A	12W	400-500	3000K 4000K 6500K	AC220V	Φ72 × H108	24°
VL - 1027B	12W	400-500	3000K 4000K 6500K	AC220V	Φ75 × H56	24°

Material

Body : *Aluminum*

Powered by : *Bridgelux*



Product Dimension





Lamp Body
Color :



Black



White

VL - 1701

No Flicker

High Color Rendering Index

Anti-Glare



Item Number	Power	CRI	CCT	Voltage	Size (mm)	Beam Angle
VL - 1701 2W WH	2W	≥80	3000K 4000K 6000K	AC220V	Φ38 × H45	10°/20° /30°
VL - 1701 7W WH	7W	≥80	3000K 4000K 6000K	AC220V	Φ55 × H53	15°/24° /36°


Material

Diecast Aluminum



Product Dimension





Lamp Body
Color :



Black

VL - 1702 BK

No Flicker

High Color Rendering Index

Anti-Glare


Item Number	Power	CRI	Beam Angle	Voltage	Size (mm)	CCT
VL - 1702 BK	10W	90	24°	AC220V	128×128 × H103	3000K
VL - 1702 BK	20W	90	24°	AC220V	218×128 × H103	4000K
VL - 1702 BK	30W	90	24°	AC220V	310 × 128 × H103	6000K

Material

Diecast Aluminum



Product Dimension





Lamp Body Color :



Black



White

VL - 1702A

No Flicker

High Color Rendering Index

Anti-Glare


Item Number	Power	Cut-Out (mm)	CCT	CRI	Size (mm)	Beam Angle
VL - 1702A	5W	400-500	3000K 4000K 6500K	95	L82xW54x H35	24°
VL - 1702A	10W	400-500	3000K 4000K 6500K	95	L128xW53x H35	24°
VL - 1702A	20W	400-500	3000K 4000K 6500K	95	L243xW53x H35	24°

Material

Body : Aluminum



Product Dimension





Lamp Body Color :




Gray



White

Inner Cup Color :



Black



White

VL - 1703 LR

No Flicker

High Color Rendering Index

Anti-Glare

Item Number	Power	Cut-Out (mm)	CCT	CRI	Size (mm)	Beam Angle
VL - 1703	7W	Φ55	3000K 4000K 6500K	93	Φ65 × H75	24°
VL - 1703	12W	Φ75	3000K 4000K 6500K	93	Φ85 × H84	24°
VL - 1703	18W	Φ95	3000K 4000K 6500K	93	Φ110 × H100	24°

Material

Body : Aluminum



Product Dimension





Lamp Body
Color :



Black



White

VL - 1704

No Flicker

High Color Rendering Index

Anti-Glare

Item Number	Power	CRI	CCT	Voltage	Size (mm)	Beam Angle
VL - 1704 7W	7W	90	3000K 4000K 6000K	AC220V	Φ88 × H35	24°
VL - 1704 12W	12W	90	3000K 4000K 6000K	AC220V	Φ88 × H45	24°

Material

Diecast Aluminum



Product Dimension



VL - 1705A



Changeable CCT



Color :




White

No Flicker

High Color Rendering Index

Anti-Glare

Item Number	Power	LM	 mm	Voltage	Size (mm)	CRI	CCT
VL - 1705A	6W	600	Φ70	220-240V	Φ90 × H70	90	
VL - 1705A Surface	6W	600	/	220-240V	Φ92 × H78	90	3000K
VL - 1705A	12W	1200	120 × 70	220-240V	L139 × W90 × H70	90	4000K
VL - 1705A	18W	1800	165 × 70	220-240V	L188 × W90 × H70	90	6500K

Material

Body : PC / ABS



Product Dimension



VL-1706A-16W




VL-1706A-35W



VL-1706A-25W



Color : 
White

No Flicker

High Color Rendering Index

Anti-Glare

Item Number	Power	LM	CCT	Voltage	Size (mm)	Beam Angle
VL-1706A-16W	16W	1700	3000K 4000K 6500K	AC220-240V	Φ105xH70	36°
VL-1706A-25W	25W	2600	3000K 4000K 6500K	AC220-240V	Φ135xH82	36°
VL-1706A-35W	35W	3650	3000K 4000K 6500K	AC220-240V	Φ167xH98	36°



Material

Body : Aluminum

Powered by : Bridgelux Chip



Product Dimension






Lamp Body Color :



White

Inner Cup Color :



Black



White

VL - 1710

No Flicker

High Color Rendering Index

Anti-Glare

Item Number	Power	Cut-Out (mm)	CCT	Size (mm)	Beam Angle
VL - 1710	12W	Φ75	3000K 4000K 6500K	Φ84 × H51	24°
VL - 1710	18W	Φ95	3000K 4000K 6500K	Φ102 × H57	24°

Material

Body : *Aluminum*


Light Source : *Bridgelux*



Product Dimension





Color : 
White

VL - 1710A

No Flicker

High Color Rendering Index

Anti-Glare

Item Number	Power	Open Hole	CCT	CRI	Size (mm)	Beam Angle
VL - 1710A 20W	20W	Φ120 × 125 mm	3000K 4000K 5700K	Ra93	Φ133 × H73	36°
VL - 1710A 30W	30W	Φ145mm	3000K 4000K 5700K	Ra93	Φ163 × H77	36°

Material

Body : Aluminum



Product Dimension





Lamp Body
Color :



Gray

Inner Cup
Color :



Black

VL - 1713A VACOLUX

No Flicker

High Color Rendering Index

Anti-Glare

Item Number	Power	CCT	CRI	Size (mm)	Beam Angle
VL - 1713	7W	3000K 4000K 6500K	90	Φ70 × H49	24°
VL - 1713	12W	3000K 4000K 6500K	90	Φ70 × H49	24°

Material

Body : *Aluminum*

Light Source : *Bridgelux*




Product Dimension





Lamp Body
Color :



Changeable CCT



VL - 1713

No Flicker

High Color Rendering Index

Anti-Glare


Item Number	Power	LM	CCT	Voltage	Size (mm)	CRI	Beam Angle
VL-1713 5W 3CCT	5W	420	3000K 4000K 6000K	220-240V	Φ70 × H64	90	25°
VL-1713 12W 3CCT	12W	880	3000K 4000K 6500K	220-240V	Φ85 × H74	90	25°

Material

Body : Aluminum



Product Dimension





Lamp Body
Color :



Black



White

VL - 1718 WH COB

No Flicker

High Color Rendering Index

Anti-Glare

Item Number	Power	CRI	Beam Angle	Voltage	Size (mm)	CCT
VL - 1718 WH COB	7W	≥80	24°	AC220V	Φ88 × H55	3000K
VL - 1718 WH COB	12W	≥80	24°	AC220V	Φ110 × H65	4000K
VL - 1718 WH COB	18W	≥80	24°	AC220V	Φ138 × H75	6000K

Material


Diecast Aluminum



Product Dimension





Color : 
White

VL - 1720

No Flicker

High Color Rendering Index

Anti-Glare


Item Number	Power	Voltage	CCT	CRI	Size (mm)	Beam Angle	Cut-Out (mm)	CHIP
VL - 1720	3W	AC100-240V	3000K 4000K 6000K	≥80	Φ74 × H25	24°	Φ55mm	SMD 2835
VL - 1720	6W	AC100-240V	3000K 4000K 6000K	≥80	Φ85.8 × H25	24°	Φ70mm	SMD 2835
VL - 1720	10W	AC100-240V	3000K 4000K 6000K	≥80	Φ105 × H31	24°	Φ90mm	SMD 2835

Material


PC, ABS



Product Dimension





Color : 
Matte White

VL - 1721

No Flicker

High Color Rendering Index

Anti-Glare


Item Number	Beam Angle	Power	LED Type	Luminous Flux	Carton Size (cm)
VL - 1721	30°	3W	COB	210lm	50 × 38 × 30
VL - 1721	30°	6W	COB	450lm	50 × 40 × 32
VL - 1721	30°	9W	COB	680lm	50 × 40 × 36
VL - 1721	45°	15W	COB	1150lm	58 × 28 × 32
VL - 1721	45°	20W	COB	1500lm	65 × 29 × 35

Material

Die-casting Aluminum




Product Dimension





Lamp Body Color :



Black



White

VL - 1722

No Flicker

High Color Rendering Index

Anti-Glare

Item Number	Power	CRI	Beam Angle	Voltage	Size (mm)	CCT
VL - 1722	7W	≥80	24°	AC220V	128×128 × H103	3000K
VL - 1722	2X7W	≥80	24°	AC220V	218×128 × H103	4000K
VL - 1722	3X7W	≥80	24°	AC220V	310 × 128 × H103	6000K

Material

Diecast Aluminum



Product Dimension





Color :



Black



White

VL - 1801OR

No Flicker

High Color Rendering Index

Anti-Glare


Item Number	Power	CRI	LM	Voltage	Size (mm)	CCT
VL 1801OR	6W	90	480	220-240V	Φ130 × H33	3000K
VL 1801OR	9W	90	720	220-240V	Φ149 × H33	4000K
VL 1801OR	12W	90	1100	220-240V	Φ172 × H33	6000K
VL 1801OR	18W	90	1800	220-240V	Φ231 × H33	

Material

Body : PC / ABS



Product Dimension





Color :



Black



White

VL - 1801OS

No Flicker

High Color Rendering Index

Anti-Glare


Item Number	Power	CRI	LM	Voltage	Size (mm)	CCT
VL 1801OS	6W	90	480	220-240V	130 × 130 × H33	3000K
VL 1801OS	9W	90	720	220-240V	149×149 × H33	4000K
VL 1801OS	12W	90	1100	220-240V	172×172 × H33	6000K
VL 1801OS	18W	90	1800	220-240V	204×204 × H33	

Material

Body : PC / ABS



Product Dimension



Changeable CCT



H

Φ



mm



Color :  White


Changeable CCT 

VL - 1801R

No Flicker

High Color Rendering Index

Anti-Glare


Item Number	Power	LM	 mm	Voltage	Size (mm)	CRI	CCT
VL 1801R	3W	180	Φ75	220-240V	Φ85 × H25	90	3000K
VL 1801R	6W	480	Φ115	220-240V	Φ128 × H25	90	
VL 1801R	9W	720	Φ130	220-240V	Φ146 × H25	90	4000K
VL 1801R	12W	1100	Φ155	220-240V	Φ170 × H25	90	6500K
VL 1801R	18W	1800	Φ185	220-240V	Φ224 × H25	90	

Material

Body : PC / ABS



Product Dimension





Color :  White


Changeable CCT 

VL - 1801S

No Flicker

High Color Rendering Index

Anti-Glare

Item Number	Power	LM	 mm	Voltage	Size (mm)	CRI	CCT
VL 1801S	3W	180	75 × 75	220-240V	Φ85 × H25	90	
VL 1801S	6W	480	128 × 128	220-240V	Φ128 × H25	90	3000K
VL 1801S	9W	720	130 × 130	220-240V	Φ146 × H25	90	4000K
VL 1801S	12W	1100	155 × 155	220-240V	Φ170 × H25	90	6500K
VL 1801S	18W	1800	185 × 185	220-240V	Φ224 × H25	90	

Material


Body : PC / ABS



Product Dimension






Color : 
White

VL - 1802R

No Flicker

High Color Rendering Index

Anti-Glare


Item Number	Power	LM	 mm	Voltage	Size (mm)	CRI	CCT
VL 1802R	7.5W	700	Φ80	220-240V	Φ108 × H40	90	3000K
VL 1802R	12W	1000	Φ100	220-240V	Φ120 × H40	90	4000K
VL 1802R	18W	1800	Φ150	220-240V	Φ170 × H40	90	6500K
VL 1802R	24W	2400	Φ200	220-240V	Φ225 × H40	90	

Material

Body : PC / ABS




Product Dimension





Lamp Body
Color :



VL - 1803

No Flicker

High Color Rendering Index

Anti-Glare


Item Number	Power	Cut-Out (mm)	CRI	Beam Angle	Voltage	Size (mm)	CCT
VL - 1803	5W	Φ75	90	100°	AC220V	Φ90 × H40	
VL - 1803	10W	Φ85-95	90	100°	AC220V	Φ102 × H48	3000K
VL - 1803	15W	Φ115-125	90	100°	AC220V	Φ132 × H51	4000K
VL - 1803	20W	Φ135-145	90	100°	AC220V	Φ157 × H56	
VL - 1803	24W	Φ150-165	90	100°	AC220V	Φ179 × H62	6000K
VL - 1803	30W	Φ200-210	90	100°	AC220V	Φ224 × H65	

Material

Diecast Aluminum



Product Dimension





Lamp Body
Color :



Black



White

VL - 1808 COB

No Flicker

High Color Rendering Index

Anti-Glare


Item Number	Power	CRI	Beam Angle	Voltage	Size (mm)	CCT
VL - 1808 WH COB	5W	≥80	24°	AC220V	Φ88 × H55	3000K 4000K 6500K

Material

Diecast Aluminum



Product Dimension





Lamp Body
Color :



White

VL - 1810

No Flicker

High Color Rendering Index

Anti-Glare

Item Number	Power	Cut-Out (mm)	CRI	Beam Angle	Voltage	Size (mm)	CCT
VL - 1810	5W	Φ80	90	120°	AC220V	Φ96 × H41	
VL - 1810	10W	Φ90	90	120°	AC220V	Φ108 × H41	3000K
VL - 1810	15W	Φ120	90	120°	AC220V	Φ140 × H46	4000K
VL - 1810	18W	Φ145	90	120°	AC220V	Φ161 × H46	
VL - 1810	20W	Φ165	90	120°	AC220V	Φ186 × H46	6000K
VL - 1810	24W	Φ210	90	120°	AC220V	Φ230 × H46	

Material

Diecast Aluminum

Anti-heat resistance PC




Product Dimension






Color :



Black



Silver



White

VL - 1828

No Flicker

High Color Rendering Index

Anti-Glare


Item Number	Power	CCT	Voltage	Size (mm)
VL - 1828	5W	3000K 4000K 6500K	AC85- 265V	Φ75 × H65
VL - 1828	10W	3000K 4000K 6500K	AC85- 265V	Φ90 × H80

Material


Body : *Aluminum*




Product Dimension



VL - 1110



Color :



No Flicker

High Color Rendering Index

Anti-Glare



Item Number	Power	CCT	Voltage	Size (mm)
VL - 1110	5W	3000K 4000K 6000K	AC85-265V	Ø75 × H12

Material


Body : *Aluminum*



Product Dimension





Color : 
White

VL - 1829

No Flicker

High Color Rendering Index


Anti-Glare

Item Number	Power	LM	Voltage	Size (mm)	CCT
VL 1829	6W	90-95	AC220V	Φ96 × H41	3000K
VL 1829	12W	90-95	AC220V	Φ108 × H41	
VL 1829	18W	90-95	AC220V	Φ140 × H46	4000K
VL 1829	24W	90-95	AC220V	Φ161 × H46	6000K


SHAPE
Round



Product Dimension





Color : 
White

VL - 1830

No Flicker

High Color Rendering Index


Anti-Glare

Item Number	Power	LM	Voltage	Size (mm)	CCT
VL 1830	6W	90-95	AC220V	90 × 90 × H27	3000K
VL 1830	12W	90-95	AC220V	120 × 120 × H27	
VL 1830	18W	90-95	AC220V	155 × 155 × H27	4000K
VL 1830	24W	90-95	AC220V	190 × 190 × H27	6000K

SHAPE
Square



Product Dimension




VL - 1811A



Changeable CCT



Color :



No Flicker

High Color Rendering Index

Anti-Glare

Item Number	Power	LM		Voltage	Size (mm)	CRI	CCT
VL - 1811A	7W	700	38°	220-240V	Φ90 × L100	90	3000K 4000K 6500K

Material

Body : PC / ABS



Product Dimension

