





VACOLUX[®]
LIGHTING

VL-3 LED CEILING LIGHT

SNI



VL - 3502

No Flicker

High Color Rendering Index

Anti-Glare


Item Number	Power	PF	electric current	Voltage	Lumen	CCT
VL-3502 3060-36W	36W	0.6	0.4A	185-265V	110Lm/W	
VL-3502 6060-50W	50W	0.6	0.5A	185-265V	110Lm/W	4200K
VL-3502 60120-50W	50W	0.6	0.6A	185-265V	110Lm/W	6500K

Material

Diecast Aluminum




Product Dimension





Lamp Body
Color :



VL - 3503A

No Flicker

High Color Rendering Index

Anti-Glare

Item Number	Beam Angle	Power	CRI	Voltage	Size (L/W/H) mm	CCT
VL - 3503A	120°	36W	≥80	AC220V/ 50Hz	1180 × 100 × 40	3000K 4000K 6000K


Material

Diecast Aluminum



Product Dimension





VL - 3503B

No Flicker

High Color Rendering Index

Anti-Glare

Item Number	Type	LED Pendant Wire	Craft	Size (L/W/H) mm
VL - 3503B	single	100cm	polish/painting	1233 × 60 × 53
VL - 3503B	double	100cm	polish/painting	1233 × 100 × 53
VL - 3503B	three	100cm	polish/painting	1233 × 175 × 53



Material

Diecast Aluminum



Product Dimension





EA - 104

No Flicker

High Color Rendering Index

Anti-Glare

Item Number	Power	PF	electric current	Voltage	Lumen	CCT
EA-104 3030-20W	18W	0.6	0.2A	185-265V	90Lm/W	
EA-104 3060-36W	36W	0.6	0.4A	185-265V	90Lm/W	6500K
EA-104 6060-42W	42W	0.6	0.46A	185-265V	90Lm/W	7000K
EA-104 30120-48W	48W	0.6	0.52A	185-265V	90Lm/W	

Material

Diecast Aluminum



Product Dimension

